

To: Gannon, Nick[Gannon.Nick@epa.gov]
Cc: Hoff, Melanie[Hoff.Melanie@epa.gov]; Myer, Shari[Myer.Shari@epa.gov]
From: Appleby, Charlie
Sent: Mon 8/10/2015 7:08:55 PM
Subject: RE: Inorganic Analytical Support for R8

Call Don at 303-90504024

Charlie Appleby

CLP Organic and NRAS Program Manager

Analytical Services Branch

OSWER/OSRTI/TIFSD

(703) 347-0266 (Potomac Yard)

(703) 405-0057 (Mobile)

From: Gannon, Nick
Sent: Monday, August 10, 2015 3:08 PM
To: Appleby, Charlie
Cc: Hoff, Melanie; Myer, Shari
Subject: RE: Inorganic Analytical Support for R8

I will contact SMO re MAs. We have a call in to Don re analyte list (Hg/CN) and confirm AES.

From: Appleby, Charlie
Sent: Monday, August 10, 2015 3:05 PM
To: Gannon, Nick
Cc: Hoff, Melanie; Myer, Shari
Subject: RE: Inorganic Analytical Support for R8

Nick,

Don called me and already understood that 24-hr would be under an MA. Hence his email. Do you want to take it?

Yes, I realized that, but not until I saw Don's response. I will correct.

Charlie Appleby

CLP Organic and NRAS Program Manager

Analytical Services Branch

OSWER/OSRTI/TIFSD

(703) 347-0266 (Potomac Yard)

(703) 405-0057 (Mobile)

From: Myer, Shari

Sent: Monday, August 10, 2015 2:52 PM

To: Appleby, Charlie

Cc: Gannon, Nick; Hoff, Melanie

Subject: RE: Inorganic Analytical Support for R8

Hi Charlie,

Under ISM, the PRs are 48 hr TATs.

Shari L. Myer

Lead Chemist/Analytical Services Team Lead

Quality Assurance Technical Support (QATS) Project Officer

Contract Laboratory Program

<http://www.epa.gov/superfund/programs/clp/>

*U.S. EPA
Office of Solid Waste & Emergency Response*

*Office of Superfund Remediation & Technology Innovation
Technology Innovation & Field Services Division
Analytical Services Branch
(703) 603-8848: phone*

(703) 405-6187: cell

From: Goodrich, Donald
Sent: Monday, August 10, 2015 2:46 PM
To: Appleby, Charlie
Cc: Gannon, Nick; Hoff, Melanie; Myer, Shari
Subject: RE: Inorganic Analytical Support for R8

Hi Charlie, sorry, I'm off site today. Yes, CLP can split the SPLPs between two labs. I will let the program know if we need CLP support for the Animas spill response. I will also notify the spill response team that CLP can offer 24 hour TATs!!!

Thanks, Don

Don Goodrich

US EPA Region 8

office: 303-312-6687

cell: 303-905-4024

From: Appleby, Charlie
Sent: Monday, August 10, 2015 12:18 PM
To: Goodrich, Donald
Cc: Gannon, Nick; Hoff, Melanie; Myer, Shari
Subject: Inorganic Analytical Support for R8

Don,

I left a message on your desk phone this morning about whether we can split SPLP samples between two CLP labs. We also want to let you know the CLP has some capacity for metals screening which we could confirm within 24 hours.

Please feel free to call me or any of us to discuss.

Charlie Appleby

CLP Organic and NRAS Program Manager

Analytical Services Branch

OSWER/OSRTI/TIFSD

(703) 347-0266 (Potomac Yard)

(703) 405-0057 (Mobile)